

KETO DAY KETO NIGHT

SCIENTIFIC STUDIES

Takeuchi H, Sekine S, Kojima K, Aoyama T.

The application of medium-chain fatty acids: edible oil with a suppressing effect on body fat accumulation. *Asia Pac J Clin Nutr.* 2008;17 Suppl 1:320-3. Review. PubMed PMID: 18296368.

Dulloo AG, Fathi M, Mensi N, Girardier L.

Twenty-four-hour energy expenditure and urinary catecholamines of humans consuming low-to-moderate amounts of medium-chain triglycerides: a dose-response study in a human respiratory chamber. *Eur J Clin Nutr.* 1996 Mar;50(3):152-8. PubMed PMID: 8654328.

Baba N, Bracco EF, Hashim SA.

Enhanced thermogenesis and diminished deposition of fat in response to overfeeding with diet containing medium chain triglyceride. *Am J Clin Nutr.* 1982 Apr;35(4):678-82. PubMed PMID: 7072620.

St-Onge, M-P et al.

"Impact of medium and long chain triglycerides consumption on appetite and food intake in overweight men." *European journal of clinical nutrition* vol. 68,10 (2014): 1134-40. doi:10.1038/ejcn.2014.145

Maciejak P, Szyndler J, Turzyńska D, Sobolewska A, Kotosowska K, Krzączk P,

Plaźnik A. Is the interaction between fatty acids and tryptophan responsible for the efficacy of a ketogenic diet in epilepsy? The new hypothesis of action. *Neuroscience.* 2016 Jan 28;313:130-48. doi: 10.1016/j.neuroscience.2015.11.029. Epub 2015 Nov 19. PubMed PMID: 26601775.

Smith, Gordon I et al.

"Omega-3 polyunsaturated fatty acids augment the muscle protein anabolic response to hyperinsulinaemia-hyperaminoacidaemia in healthy young and middle-aged men and women." *Clinical science (London, England : 1979)* vol. 121,6 (2011): 267-78. doi:10.1042/CS20100597

Anderson GJ, Connor WE, Corliss JD.

Docosahexaenoic acid is the preferred dietary n-3 fatty acid for the development of the brain and retina. *Pediatr Res.* 1990 Jan;27(1):89-97. PubMed PMID: 2136947.

Dyall, Simon C.

"Long-chain omega-3 fatty acids and the brain: a review of the independent and shared effects of EPA, DPA and DHA." *Frontiers in aging neuroscience* vol. 7 52. 21 Apr. 2015. doi:10.3389/fnagi.2015.00052

Kiecolt-Glaser JK, Belury MA, Andridge R, Malarkey WB, Glaser R.

Omega-3 supplementation lowers inflammation and anxiety in medical students: a randomized controlled trial. *Brain Behav Immun.* 2011 Nov;25(8):1725-34. doi: 10.1016/j.bbi.2011.07.229. Epub 2011 Jul 19. PubMed PMID: 21784145; PubMed Central PMCID: PMC3191260.

Cazzola R, Russo-Volpe S, Miles EA, Rees D, Banerjee T, Roynette CE, Wells SJ,

Goua M, Wahle KW, Calder PC, Cestaro B. Age- and dose-dependent effects of an eicosapentaenoic acid-rich oil on cardiovascular risk factors in healthy male subjects. *Atherosclerosis.* 2007 Jul;193(1):159-67. Epub 2006 Aug 1. PubMed PMID: 16879829.

Rizza S, Tesauro M, Cardillo C, Galli A, Iantorno M, Gigli F, Sbraccia P, Federici M, Quon MJ, Lauro D.

Fish oil supplementation improves endothelial function in normoglycemic offspring of patients with type 2 diabetes. *Atherosclerosis.* 2009 Oct;206(2):569-74. doi: 10.1016/j.atherosclerosis.2009.03.006. Epub 2009 Mar 19. PubMed PMID: 19394939; PubMed Central PMCID: PMC2772138.

Barnett ML, Kremer JM, St Clair EW, Clegg DO, Furst D, Weisman M, Fletcher MJ, Chasan-Taber S, Finger E, Morales A, Le CH, Trentham DE.

Treatment of rheumatoid arthritis with oral type II collagen. Results of a multicenter, double-blind, placebo-controlled trial. *Arthritis Rheum.* 1998 Feb;41(2):290-7. Erratum in: *Arthritis Rheum* 1998 May;41(5):938. PubMed PMID: 9485087.

Clark KL, Sebastianelli W, Flechsenhar KR, Aukermann DF, Meza F, Millard RL, Deitch JR, Sherbondy PS, Albert A.

24-Week study on the use of collagen hydrolysate as a dietary supplement in athletes with activity-related joint pain. *Curr Med Res Opin.* 2008 May;24(5):1485-96. doi: 10.1185/030079908X291967. Epub 2008 Apr 15. PubMed PMID: 18416885.

Gillies, Allison R, and Richard L Lieber.

"Structure and function of the skeletal muscle extracellular matrix." *Muscle & nerve* vol. 44,3 (2011): 318-31. doi:10.1002/mus.22094

Zdzieblik, Denise et al.

"Collagen peptide supplementation in combination with resistance training improves body composition and increases muscle strength in elderly sarcopenic men: a randomised controlled trial." *The British journal of nutrition* vol. 114,8 (2015): 1237-45. doi:10.1017/S0007114515002810

Lu H, Meng X, Yang CS.

Enzymology of methylation of tea catechins and inhibition of catechol-O-methyltransferase by (-)-epigallocatechin gallate. *Drug Metab Dispos.* 2003 May;31(5):572-9. PubMed PMID: 12695345.

Planes-Muñoz D, López-Nicolás R, González-Bermúdez CA, Ros-Berruezo G,

Frontela-Saseta C. In vitro effect of green tea and turmeric extracts on GLP-1 and CCK secretion: the effect of gastrointestinal digestion. *Food Funct.* 2018 Oct 17;9(10):5245-5250. doi: 10.1039/c8fo01334a. PubMed PMID: 30226521.

Sood B, Keenaghan M.

Coenzyme Q10. [Updated 2019 Feb 15]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2019 Jan.

Cooke M, Iosia M, Buford T, Shelmadine B, Hudson G, Kerksick C, Rasmussen C, Greenwood M, Leutholtz B, Willoughby D, Kreider R.

Effects of acute and 14-day coenzyme Q10 supplementation on exercise performance in both trained and untrained individuals. *J Int Soc Sports Nutr.* 2008 Mar 4;5:8. doi: 10.1186/1550-2783-5-8. PubMed PMID: 18318910; PubMed Central PMCID: PMC2315638.

Xu, Zhe et al.

"Coenzyme Q10 Improves Lipid Metabolism and Ameliorates Obesity by Regulating CaMKII-Mediated PDE4 Inhibition." *Scientific reports* vol. 7,1 8253. 15 Aug. 2017. doi:10.1038/s41598-017-08899-7

Tsai KL, Huang YH, Kao CL, Yang DM, Lee HC, Chou HY, Chen YC, Chiou GY, Chen LH, Yang YP, Chiu TH, Tsai CS, Ou HC, Chiou SH.

A novel mechanism of coenzyme Q10 protects against human endothelial cells from oxidative stress-induced injury by modulating NO-related pathways. *J Nutr Biochem.* 2012 May;23(5):458-68. doi: 10.1016/j.jnutbio.2011.01.011. Epub 2011 Jun 17. PubMed PMID: 21684136.

Zhang, Zhenxian et al.

"Selectivity of Dietary Phenolics for Inhibition of Human Monoamine Oxidases A and B." *BioMed research international* vol. 2019 8361858. 23 Jan. 2019. doi:10.1155/2019/8361858

Seo YJ, Kim KJ, Koh EJ, Choi J, Lee BY.

Anti-adipogenesis mechanism of pterostilbene through the activation of heme oxygenase-1 in 3T3-L1 cells. *Phytomedicine.* 2017 Sep 15;33:7-13. doi: 10.1016/j.phymed.2017.05.009. Epub 2017 Jul 8. PubMed PMID: 28887923.

Etxeberria U, Hijona E, Aguirre L, Milagro FI, Bujanda L, Rimando AM, Martínez JA, Portillo MP.

Pterostilbene-induced changes in gut microbiota composition in relation to obesity. *Mol Nutr Food Res.* 2017 Jan;61(1). doi:10.1002/mnfr.201500906. Epub 2016 Aug 3. PubMed PMID: 27377854.

Nathan PJ, Lu K, Gray M, Oliver C.

The neuropharmacology of L-theanine(N-ethyl-L-glutamine): a possible neuroprotective and cognitive enhancing agent. *J Herb Pharmacother.* 2006;6(2):21-30. Review. PubMed PMID: 17182482.

Siamwala JH, Dias PM, Majumder S, Joshi MK, Sinkar VP, Banerjee G, Chatterjee S.

L-theanine promotes nitric oxide production in endothelial cells through eNOS phosphorylation. *J Nutr Biochem.* 2013 Mar;24(3):595-605. doi: 10.1016/j.jnutbio.2012.02.016. Epub 2012 Jul 21. PubMed PMID: 22819553.

Rao TP, Ozeki M, Juneja LR.

In Search of a Safe Natural Sleep Aid. *J Am Coll Nutr.* 2015;34(5):436-47. doi: 1080/07315724.2014.926153. Epub 2015 Mar 11. Review. PubMed PMID: 25759004.

Bowery, N G, and T G Smart.

"GABA and glycine as neurotransmitters: a brief history." *British journal of pharmacology* vol. 147 Suppl 1,Suppl 1 (2006): S109-19. doi:10.1038/sj.bjp.0706443

Hyland, Niall P, and John F Cryan.

"A Gut Feeling about GABA: Focus on GABA(B) Receptors."
Frontiers in pharmacology vol. 1 124. 4 Oct. 2010.
doi:10.3389/fphar.2010.00124

Luscher, B et al.

"The GABAergic deficit hypothesis of major depressive disorder." Molecular psychiatry vol. 16,4 (2011): 383-406.
doi:10.1038/mp.2010.120

Winkelman JW, Buxton OM, Jensen JE, Benson KL, O'Connor SP, Wang W, Renshaw

PF. Reduced brain GABA in primary insomnia: preliminary data from 4T proton magnetic resonance spectroscopy (1H-MRS). Sleep. 2008 Nov;31(11): 1499-506. PubMed PMID: 19014069; PubMed Central PMCID: PMC2579978.

Kim, Suhyeon et al.

"GABA and L-theanine mixture decreases sleep latency and improves NREM sleep."
Pharmaceutical biology vol. 57,1 (2019): 65-73.
doi:10.1080/13880209.2018.1557698

Birdsall TC. 5-Hydroxytryptophan: a clinically-effective serotonin precursor.
Altern Med Rev. 1998 Aug;3(4):271-80. Review. PubMed PMID: 9727088.

Wurtman RJ, Wurtman JJ.

Brain serotonin, carbohydrate-craving, obesity and depression.
Obes Res. 1995 Nov;3 Suppl 4:477S-480S. Review. PubMed PMID: 8697046.

Heisler LK, Jobst EE, Sutton GM, Zhou L, Borok E, Thornton-Jones Z, Liu HY, Zigman JM, Balthasar N, Kishi T, Lee CE, Aschkenasi CJ, Zhang CY, Yu J, Boss O, Mountjoy KG, Clifton PG, Lowell BB, Friedman JM, Horvath T, Butler AA, Elmquist JK, Cowley MA.

Serotonin reciprocally regulates melanocortin neurons to modulate food intake.
Neuron. 2006 Jul 20;51(2):239-49.
PubMed PMID: 16846858.

Cangiano C, Laviano A, Del Ben M, Preziosa I, Angelico F, Cascino A, Rossi-Fanelli F.

Effects of oral 5-hydroxy-tryptophan on energy intake and macronutrient selection in non-insulin dependent diabetic patients.
Int J Obes Relat Metab Disord. 1998 Jul;22(7):648-54.
PubMed PMID: 9705024.

Ortiz MI, Fernández-Martínez E, Soria-Jasso LE, Lucas-Gómez I, Villagómez-Ibarra R, González-García MP, Castañeda-Hernández G, Salinas-Caballero M.

Isolation, identification and molecular docking as cyclooxygenase (COX) inhibitors of the main constituents of Matricaria chamomilla L. extract and its synergistic interaction with diclofenac on nociception and gastric damage in rats.
Biomed Pharmacother. 2016 Mar;78:248-256. doi: 10.1016/j.biopha.2016.01.029. Epub 2016 Feb 2. PubMed PMID: 26898449.

Srivastava, Janmejai K et al.

"Chamomile: A herbal medicine of the past with bright future."
Molecular medicine reports vol. 3,6 (2010): 895-901.
doi:10.3892/mmr.2010.377